

Safety Data Sheet

Issue Date: 01-Jul-2006 Revision Date: 07-May-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Ultimate All-Purpose Cleaner

Other means of identification

SDS # CARROLL-082

Product Code Z6

Recommended use of the chemical and restrictions on use

Recommended Use Alkaline cleaner.

Details of the supplier of the safety data sheet

Supplier Address

Carroll Co. 2900 W. Kingsley Road Garland, TX 75041

Emergency Telephone Number

Company Phone Number 1-800-527-5722

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear blue liquid Physical State Liquid Odor Sweet

Classification

| Skin corrosion/irritation | Category 1 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage



<u>Precautionary Statements - Prevention</u>

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Revision Date: 07-May-2014

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------------------------|-------------|----------|
| Ethylene Glycol Monobutyl Ether | 111-76-2 | 5 |
| Trade Secret | Proprietary | <3 |
| Trade Secret | Proprietary | <3 |
| Trade Secret | Proprietary | <3 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Skin Contact Take off contaminated clothing. Wash skin with soap and water. If irritation persists, seek

medical attention. Wash contaminated clothing before reuse.

Inhalation Remove to fresh air. Call a physician immediately.

Ingestion Drink large quantities of fruit juices or vinegar followed by large quantities of milk or egg

whites. Do not induce vomiting. Call a physician. Never give anything by mouth to an

unconscious person.

Most important symptoms and effects

Symptoms Corrosive to skin. In severe cases, burns, corneal damage, and blindness may occur.

> Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. Prolonged breathing of vapors may cause nausea,

headache, weakness and/or dizziness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Floor will become slippery if material is released.

Hazardous Combustion Products Carbon oxides. Nitrogen.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Spills may be slippery.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike and contain spill.

Methods for Clean-Up Cover liquid spill with sand, earth or other non-combustible absorbent material. Shovel into

secured lid container for proper disposal. Dispose of in accordance with federal, state and

Revision Date: 07-May-2014

local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Read and follow all

directions. Wash thoroughly after handling. Use personal protection recommended in

Section 8. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

incompatible materials. Protect from excessive heat. Keep from freezing. Keep away from

food, drink and animal feeding stuffs. Keep locked up and out of reach of children.

Incompatible Materials Acids. Oxidizers. Alkalis. Base metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 07-May-2014

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------------|-------------|--------------------------------------|---------------------------|
| Ethylene Glycol Monobutyl Ether | TWA: 20 ppm | TWA: 50 ppm | IDLH: 700 ppm |
| 111-76-2 | | TWA: 240 mg/m ³ | TWA: 5 ppm |
| | | (vacated) TWA: 25 ppm | TWA: 24 mg/m ³ |
| | | (vacated) TWA: 120 mg/m ³ | |
| | | (vacated) S* | |
| | | S* | |
| Trade Secret | 2 mg/m³ | 2 mg/m ³ | - |
| | | | |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical splash goggles.

Skin and Body Protection Chemical resistant protective gloves.

Respiratory Protection NIOSH-approved vapor respirator in the absence of proper environmental control.

General Hygiene Considerations Wash hands before breaks and immediately after handling the product. Take off all

contaminated clothing and wash it before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear blue liquid Odor Sweet

Not determined Color Blue **Odor Threshold**

Property Values Remarks • Method

Slower than water

pН 12.8 ± 0.2 **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** 100 °C / 212 °F

Flash Point Setaflash None **Evaporation Rate**

Flammability (Solid, Gas) n/a-liquid **Upper Flammability Limits** 10.6 **Lower Flammability Limit** 1.1 **Vapor Pressure** 27 mm Hg **Vapor Density** Heavier than air

Specific Gravity (1=Water) 1.05

Water Solubility Completely soluble Solubility in other solvents Not determined Not determined **Partition Coefficient Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Revision Date: 07-May-2014

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Extreme heat and open flames. Keep from freezing. Avoid contact with aluminum or other soft metals.

Incompatible Materials

Acids. Oxidizers. Alkalis. Base metals.

Hazardous Decomposition Products

Carbon oxides. Nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|---|--|
| Ethylene Glycol Monobutyl Ether 111-76-2 | = 470 mg/kg (Rat) | = 2270 mg/kg (Rat) = 220 mg/kg (Rabbit) | = 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h |
| Trade Secret | = 7200 mg/kg (Rat) | - | - |
| Trade Secret | > 2000 mg/kg (Rat) | > 300 mg/kg (Rabbit) | > 2.16 mg/L (Rat) 1 h |
| Trade Secret | = 600 mg/kg (Rat) | - | - |
| Trade Secret | = 10 g/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Revision Date: 07-May-2014

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Not classifiable as a human carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------------------|-------|---------|-----|------|
| Ethylene Glycol Monobutyl | A3 | Group 3 | | |
| Ether | | | | |
| 111-76-2 | | | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------------------|------------------------|------------------------------|----------------|---------------------------|
| | | | microorganisms | |
| Ethylene Glycol Monobutyl | | 1490: 96 h Lepomis | | 1698 - 1940: 24 h Daphnia |
| Ether | | macrochirus mg/L LC50 | | magna mg/L EC50 1000: 48 |
| 111-76-2 | | static 2950: 96 h Lepomis | | h Daphnia magna mg/L |
| | | macrochirus mg/L LC50 | | EC50 |
| Trade Secret | | 210: 96 h Brachydanio rerio | | 216: 96 h Daphnia magna |
| | | mg/L LC50 semi-static 210: | | mg/L EC50 |
| | | 96 h Brachydanio rerio mg/L | | |
| | | LC50 | | |
| Trade Secret | 1.01: 72 h Desmodesmus | 41: 96 h Lepomis | | 610: 24 h Daphnia magna |
| | subspicatus mg/L EC50 | macrochirus mg/L LC50 | | mg/L EC50 |
| | | static 59.8: 96 h Pimephales | | |
| | | promelas mg/L LC50 static | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|---------------------------------|-----------------------|
| Ethylene Glycol Monobutyl Ether | 0.81 |
| 111-76-2 | |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Revision Date: 07-May-2014

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Trade Secret | 5000 lb | | RQ 5000 lb final RQ |
| | | | RQ 2270 kg final RQ |

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|----------|----------|----------------------------------|
| Ethylene Glycol Monobutyl Ether - 111-76-2 | 111-76-2 | 5 | 1.0 |

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Trade Secret (<3) | 5000 lb | | | Х |

US State Regulations

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Ethylene Glycol Monobutyl Ether 111-76-2 | X | X | X |
| Trade Secret | Χ | X | X |

16. OTHER INFORMATION

NFPA Health Hazards

Not determined Health Hazards Flammability
Not determined
Flammability

Instability
Not determined
Physical Hazards

Special Hazards
Not determined
Personal Protection
B = Goggles, gloves

Revision Date: 07-May-2014

Issue Date:01-Jul-2006Revision Date:07-May-2014Revision Note:New format

3

Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet