


**Safety Data Sheet
Contractor Grease #2**



Product Number:
Revision Date:

50026-12
05/17/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** Contractor Grease #2
Product Code 50026
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Intended use See Technical Data Sheet.
- 1.3. Details of the supplier of the safety data sheet**
- Manufacturer** LUBRICATING SPECIALTIES
COMPANY
8015 PARAMOUNT BLVD.
PICO RIVERA, CA 90660
- Telephone No.** (562) 776-4000
- 1.4. Emergency telephone number**
(800) 424-9300 24hr

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Skin Irrit. 2;H315 Causes skin irritation

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labeled as follows.



Warning

H315 Causes skin irritation

P280 Wear protective gloves / eye protection / face protection.

P302+352 IF ON SKIN: Wash with soap and water

P362 Take off contaminated clothing and wash before reuse.

HMIS	Health:	2	NFPA	Health:	2
	Fire:	1		Fire:	1
	Physical Hazards:	0		Reactivity:	0
	PPE:	C		Special Hazards:	--

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

SECTION 3: Composition/information on ingredients

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 / GHS Classification
Distillate (petroleum) hydrotreated heavy naphthenic CAS Number: 0064742-52-5	<80	Not Classified
Hydroxyl Containing Saturated Fatty Acids CAS Number: Proprietary or N/A	<10	Not Classified
Butene, polymer with 2-methyl-1-propene CAS Number: 0009044-17-1	<5	Not Classified
Molybdenum (IV) sulfide CAS Number: 0001317-33-5	<5	Not Classified
Proprietary additive CAS Number: Proprietary or N/A	<3	Not Classified
Decanedioic Acid CAS Number: 0000111-20-6	<3	Not Classified
Lithium hydroxide monohydrate CAS Number: 0001310-66-3	<3	Skin Corr. 1;H314 STOT SE 3;H335
Petroleum distillates, solvent-refined light paraffinic CAS Number: 0064741-89-5	<1	Not Classified
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN CAS Number: 0064742-54-7	<1	Not Classified
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 0064742-65-0	<1	Not Classified

*The full texts of the phrases are shown in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation

If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

Skin

In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.

Eye

In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15 minutes. Remove contact lenses if present and continue rinsing. Seek medical attention immediately.

Ingestion

Do not induce vomiting. Call a physician or emergency medical facility immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Use Carbon dioxide (CO₂), dry chemical, or foam to extinguish flames.

5.2. Special hazards arising from the substance or mixture

Hazardous Decomposition Products: May form CO and CO₂.

5.3. Advice for fire-fighters

Self-contained full-face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

6.2. Environmental precautions

Prevent entry into sewers and waterways. Report spills as required to appropriate authorities in accordance with all applicable regulations.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Dispose of in accordance with all federal, state, and local environmental regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapor. Use with adequate ventilation.

In Storage

Store in a dry location at room temperature.

Keep this container and vapors from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from strong oxidizing and reducing agents.

CAUTION!!! Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.

7.3. Specific end use(s)

There are no exposure scenarios, see details in section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The following occupational exposure limits have been established.

CAS Number	Ingredient	Source	Value
0000111-20-6	Decanedioic Acid	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0001310-66-3	Lithium hydroxide monohydrate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0001317-33-5	Molybdenum (IV) sulfide	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0009044-17-1	Butene, polymer with 2-methyl-1-propene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064741-89-5	Petroleum distillates, solvent-refined light paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit

		NIOSH	No Established Limit
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-54-7	PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
Proprietary or N/A	Proprietary additive	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 10 mg/m³ ACGIH.

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000111-20-6	Decanedioic Acid	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0001310-66-3	Lithium hydroxide monohydrate	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0001317-33-5	Molybdenum (IV) sulfide	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0009044-17-1	Butene, polymer with 2-methyl-1-propene	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064741-89-5	Petroleum distillates, solvent-refined light paraffinic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-54-7	PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
Proprietary or N/A	Proprietary additive	OSHA	Select Carcinogen: No

IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
------	--

DNEL/PNEC values

No Data Available

8.2. Exposure controls

No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/face protection

Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.

Skin protection

Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes, or signs of wear.

Other

Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.

Respiratory protection

Use NIOSH/OSHA approved respirator where high vapor concentrations are present.

Thermal hazards

No Data Available

SECTION 9: Physical and chemical properties

Appearance	GREY BUTTERY GREASE
Odor	Petroleum Odor
Odor threshold	Not Determined
pH	Not Determined
Melting point / freezing point (C)	Not Determined
Initial boiling point and boiling range (C)	> 300
Flash point (C)	> 200
Evaporation rate (H20 = 1)	Not Determined
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	
Lower Explosive Limit:	Not Determined
Upper Explosive Limit:	Not Determined
Vapor pressure (Pa)	Not Determined
Vapor density	Heavier than air.
Relative density	0.9348
Solubility(ies)	negligible
Partition coefficient n-octanol/water (Log Kow)	Not Determined
Auto-ignition temperature (C)	Not Determined

Decomposition temperature	Not Determined
Viscosity (cSt)	
@ 100 C	Not Measured
@ 40 C	Not Measured
Pour point temperature (C)	Not Determined
Volatile Organic Compounds	nil
SADT	Not Determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Material is normally stable at ambient temperature and pressure.

10.3. Possibility of hazardous reactions

May react with: oxidizing agents.

10.4. Conditions to avoid

High temperature, sparks, and open flames.

10.5. Incompatible materials

Keep away from strong oxidizing and reducing agents.

10.6. Hazardous decomposition products

Hazardous Decomposition Products: May form CO and CO₂.

SECTION 11: Toxicological information

Acute toxicity

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapor LD50, mg/L/4hr
Butene, polymer with 2-methyl-1-propene - (0009044-17-1)	Not Available	Not Available	Not Available
Decanedioic Acid - (0000111-20-6)	>5,000, Rat	6,000.00, Rabbit	Not Available
Distillate (petroleum) hydrotreated heavy naphthenic - (0064742-52-5)	>5,000, Rat	5,000.00, Rabbit	Not Available
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (0064742-65-0)	>2,000, Rat	>2,000, Rabbit	Not Available

Hydroxyl Containing Saturated Fatty Acids - (Proprietary or N/A)	Not Available	Not Available	Not Available
Lithium hydroxide monohydrate - (0001310-66-3)	Not Available	Not Available	Not Available
Molybdenum (IV) sulfide - (0001317-33-5)	Not Available	Not Available	Not Available
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN - (0064742-54-7)	>5,000, Rat	>5,000, Rabbit	Not Available
Petroleum distillates, solvent-refined light paraffinic - (0064741-89-5)	>2,000, Rat	>2,000, Rabbit	Not Available
Proprietary additive - (Proprietary or N/A)	Not Available	Not Available	Not Available

Classification	Category	Hazard Description
Acute toxicity (oral)	Not Classified	Not Applicable
Acute toxicity (dermal)	Not Classified	Not Applicable
Acute toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation
Serious eye damage/irritation	Not Classified	Not Applicable
Respiratory sensitization	Not Classified	Not Applicable
Skin sensitization	Not Classified	Not Applicable
Germ cell mutagenicity	Not Classified	Not Applicable
Carcinogenicity	Not Classified	Not Applicable
Reproductive toxicity	Not Classified	Not Applicable
STOT-single exposure	Not Classified	Not Applicable
STOT-repeated exposure	Not Classified	Not Applicable
Aspiration hazard	Not Classified	Not Applicable

SECTION 12: Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillate (petroleum) hydrotreated heavy naphthenic - (0064742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus
Hydroxyl Containing Saturated Fatty Acids - (Proprietary or N/A)	Not Available	Not Available	Not Available
Butene, polymer with 2-methyl-1-propene - (0009044-17-1)	Not Available	Not Available	Not Available
Molybdenum (IV) sulfide - (0001317-33-5)	Not Available	Not Available	Not Available
Proprietary additive - (Proprietary)	Not Available	Not Available	Not Available

or N/A)			
Decanedioic Acid - (0000111-20-6)	Not Available	Not Available	Not Available
Lithium hydroxide monohydrate - (0001310-66-3)	Not Available	Not Available	Not Available
Petroleum distillates, solvent-refined light paraffinic - (0064741-89-5)	Not Available	Not Available	Not Available
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN - (0064742-54-7)	Not Available	Not Available	Not Available
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (0064742-65-0)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Corrosive Liquid, n.o.s.

14.3. Transport hazard class(es)

US DOT Label

Not regulated

ADR/RID

Not regulated

IMDG Not regulated

Sub Class Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

ADR/RID Environmentally Hazardous: No - Not regulated

IMDG Marine Pollutant: No - Not regulated

14.6. Special precautions for user

No further information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions. Shipping description may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. For information specific to your situation, consult your company's Hazardous Materials/Dangerous Goods expert.

SECTION 15: Regulatory information**National Legislation**

United States:

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA 311/312 (>0.1%): Not applicable

SARA 313 (>0.1%): Not applicable

CERCLA (>0.1%): Not applicable

Inventory - Canada - Non-Domestic Substances List (NDSL): Not applicable

California Proposition 65 Cancer:

Cumene
Ethyl benzene
Ethyl acrylate
Naphthalene

California Proposition 65 Developmental:

4-methylpentan-2-one

California Proposition 65 Female Reproductive: Not applicable

California Proposition 65 Male Reproductive: Not applicable

Inventory - Australia - Inventory

of Chemical Substances (AICS):

Decanedioic Acid
 Distillate (petroleum) hydrotreated heavy naphthenic
 Distillates (petroleum), solvent-dewaxed heavy paraffinic
 Lithium hydroxide monohydrate
 Molybdenum (IV) sulfide
 Olefin Sulfide
 PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN
 Petroleum distillates, solvent-refined light paraffinic
 Phosphoric acid esters, amine salt

Inventory - Japan Existing and New Chemical Substances (ENCS):

Decanedioic Acid (2-878)
 Distillate (petroleum) hydrotreated heavy naphthenic ()
 Distillates (petroleum), solvent-dewaxed heavy paraffinic (9-1702)
 Molybdenum (IV) sulfide (1-481)
 PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN ()
 Petroleum distillates, solvent-refined light paraffinic (9-1700)

Korean Existing Chemicals Inventory:

Decanedioic Acid
 Distillate (petroleum) hydrotreated heavy naphthenic
 Distillates (petroleum), solvent-dewaxed heavy paraffinic
 Molybdenum (IV) sulfide
 PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN
 Petroleum distillates, solvent-refined light paraffinic

Inventory of Existing Chemical Substances in China:

Olefin Sulfide
 PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN
 Phosphoric acid esters, amine salt

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

Butene, polymer with 2-methyl-1-propene
 Decanedioic Acid
 Distillate (petroleum) hydrotreated heavy naphthenic
 Distillates (petroleum), solvent-dewaxed heavy paraffinic
 Lithium hydroxide monohydrate
 Molybdenum (IV) sulfide
 Olefin Sulfide

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN

Petroleum distillates, solvent-refined light paraffinic

Phosphoric acid esters, amine salt

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act : Not applicable

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Distillate (petroleum) hydrotreated heavy naphthenic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN

Petroleum distillates, solvent-refined light paraffinic

Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS):

Decanedioic Acid (203-845-5)

Distillate (petroleum) hydrotreated heavy naphthenic (265-155-0)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (265-169-7)

Molybdenum (IV) sulfide (215-263-9)

Olefin Sulfide ()

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN (265-157-1)

Petroleum distillates, solvent-refined light paraffinic (265-091-3)

Phosphoric acid esters, amine salt ()

EU List of Notified Chemical Substances (ELINCS): Not applicable

Risk Phrases

Not Classified.

SECTION 16: Other information


This information has been compiled from sources considered to be dependable and is accurate to the best of Lubricating Specialties Company knowledge. Lubricating Specialties Company makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Lubricating Specialties Company assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

End of document



LSC