

AMALIE OIL COMPANY

1601 McCloskey Boulevard Tampa, Florida 33605 U.S.A. E-MAIL: info@amalie.com www.amalie.com Telephone: (813)248-1988 Fax: (813) 248-1488

848103282

Safety Data Sheet

according to 1907/2006/EC (REACH),

1272/2008/EC (CLP), and GHS

Page 1/11

Revision: 07.17.2015

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
 Trade name: AMALIE AW HYDRAULIC OIL 32 CAS Number: 64742-54-7 EC number: 265-157-1 Index number: 649-467-00-8 Application of the substance / the preparation Petroleum product. 1.3 Details of the supplier of the Safety Data Sheet
Manufacturer/Supplier: AOCUSA Made in U.S.A. 1.4 Emergency telephone number: ChemTel Inc.
(800)255 3924, +1 (813)248 0585
2 Hazards identification
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The substance is not classified according to the CLP regulation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC INDICABLE. Information concerning particular hazards for human and environment: Not applicable.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 N/A Hazard pictograms N/A Signal word N/A Hazard statements N/A Additional information: Safety data sheet available on request.

· Hazard des				
 Hazard des 				(Contd. of page
-	bols: Not hazardou			
· HMIS Long	Term Health Haza	d Substances		
Substance	s not listed.			
· 2.3 Other h				
	PBT and vPvB asse	ssment		
• PBT: Not a				
• vPvB: Not				
2 Composid	ion/information	on ingradianta		
s composit	ion/information	on ingredients		
· 3.1 Substa				
· CAS No. De		<u>, , , , , , , , , , , , , , , , , , , </u>	<i>(</i> ; .	
		n), hydrotreated heavy pa	araffinic	
	on number(s)			
	. 265-157-1 . 265-157-1			
· Additional				
Note L: The	classification as a	carcinogen need not app	bly if it can be shown that	t the substance conta
less than 3	% DMSO extract	as measured by IP 346	'Determination of polycyc	clic aromatics in unus
			ctions - Dimethyl sulphor	
		eum, London. This produ	ct meets these requireme	ents.
-	components:			
68649-42-3	Zinc Dialkyldithioph Xi R38; 🗙 Xi R4	osphate		0.149
	Aquatic Chronic	2.141		

- After swallowing: Do not induce vomiting; call for medical help immediately.
 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- · Hazards No further relevant information available.

(Contd. on page 3)

• 4.3 Indication of any immediate medical attention and special treatment needed Treat skin and mucous membrane with antihistamine and corticoid preparations.	(Contd. of page
5 Firefighting measures	
· 5.1 Extinguishing media	
Suitable extinguishing agents:	
Alcohol resistant foam	
Foam	
Fire-extinguishing powder Carbon dioxide	
Gaseous extinguishing agents	
· For safety reasons unsuitable extinguishing agents:	
Water with full jet	
Water spray	
5.2 Special hazards arising from the substance or mixture	
Formation of toxic gases is possible during heating or in case of fire.	
 5.3 Advice for firefighters 	
· Protective equipment:	
Wear self-contained respiratory protective device.	
Wear fully protective suit.	
• Additional information Cool endangered receptacles with water fog or haze.	

 6.1 Personal precautions, protective equipment and emergency procedures W ear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
6.2 Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
Prevent from spreading (e.g. by damming-in or oil barriers).
 6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Remove from the water surface (e.g. skim or suck off).
Send for recovery or disposal in suitable receptacles.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

Trade name: AMALIE AW HYDRAULIC OIL 32 (Contd. of page 3) · Information about fire - and explosion protection: No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: No special requirements. · Information about storage in one common storage facility: Store away from oxidizing agents. Store away from foodstuffs. · Further information about storage conditions: None. · 7.3 Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection · Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: Not required. · DNELs No further relevant information available. • PNECs No further relevant information available. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. **Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves Plastic gloves Neoprene gloves Nitrile rubber, NBR (Contd. on page 5)

Trade name: AMALIE AW HYDRAULIC OIL 32
(Contd. of page 4) The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Not suitable are gloves made of the following materials: Leather gloves
• Eye protection: Safety glasses
 Body protection: Oil resistant protective clothing Limitation and supervision of exposure into the environment No further relevant information available. Risk management measures
See Section 7 for additional information. No further relevant information available.

	laka mira luna na dia a	
9.1 Information on basic physical and General Information	i cnemical properties	
· Appearance:		
Form:	Fluid	
Colour:	Amber coloured	
· Odour:	Petroleum-like	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: 	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	419°F/ 215 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
		(Contd. on page 6)

Trade name: AMALIE AW HYDRAULIC OIL 32

		(Contd. of page
· Vapour pressure:	Not determined.	
· Density at 20 °C:	0,8718-0,9032 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 40 °C:	61,2-68,0 mm²/s	
· 9.2 Other information	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.
- 10.4 Conditions to avoid Store away from oxidizing agents.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Toxic metal oxide smoke

Carbon monoxide and carbon dioxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- · Additional toxicological information: Danger through skin adsorption.
- · Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

Trade name: AMALIE AW HYDRAULIC OIL 32
(Contd. of page 6)
· 12.2 Persistence and degradability
Evidence of biological degradation processes is available.
The product is biodegradable after prolonged adaptation.
 12.3 Bioaccumulative potential No further relevant information available.
 12.4 Mobility in soil No further relevant information available.
· Ecotoxical effects:
· Remark:
Due to mechanical actions of the product (e.g. agglutinations) damages may occur. The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.
 Additional ecological information: General notes:
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage
system.
· 12.5 Results of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.
 12.6 Other adverse effects No further relevant information available.
13 Disposal considerations
 13.1 Waste treatment methods Recommendation Product is recyclable as a waste oil. Deliver unused and/or contaminated product to waste oil collectors. W hen storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed. Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· Uncleaned packaging:
· Recommendation: Disposal must be made according to official regulations.
14 Transport information
· 14.1 UN-Number · DOT, ADN, IMDG, IATA N/A
· 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA N/A
· 14.3 Transport hazard class(es)
· DOT, ADR, ADN, IMDG, IATA
· Class N/A
· 14.4 Packing group · DOT, ADR, IMDG, IATA N/A
(Contd. on page 8)

		(Contd. of pag
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Transport in bulk according to Ann		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	
Regulatory information		
 15.1 Safety, health and environmental re United States (USA) SARA 	egulations/legislation specific for	r the substance or mixtu
· Section 355 (extremely hazardous subst	ances):	
Substance is not listed.		
· Section 313 (Specific toxic chemical lis	ings):	
Substance is not listed.		
· TSCA (Toxic Substances Control Act):		
Substance is listed.		
· Proposition 65 (California):		
· Chemicals known to cause cancer:		
Substance is not listed.		
· Chemicals known to cause reproductive	e toxicity for females:	
Substance is not listed.		
· Chemicals known to cause reproductive	e toxicity for males:	
Substance is not listed.		
· Chemicals known to cause development	ntal toxicity:	
Substance is not listed.		
 Carcinogenic Categories EPA (Environmental Protection Agency) 		
Substance is not listed.		
· IARC (International Agency for Researc	n on Cancer)	
Substance is not listed.		
• TLV (Threshold Limit Value established	by ACGIH)	
Substance is not listed. • MAK (German Maximum Workplace Cor		
	contration)	

Trade name: AMALIE AW HYDRAULIC OIL 32

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Canada

· Canadian Domestic Substances List (DSL)

Substance is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

Substance is not listed.

· Canadian Ingredient Disclosure list (limit 1%)

Substance is not listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.
- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS:
- European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- ELINCS: European List of Notified Chemical Substances

The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of the (Contd. on page 10)

Trade name: AMALIE AW HYDRAULIC OIL 32

(Contd. of page 9) manufacturer, the manufacturer expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information. SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com